

# **SECURIO®**

*WELL DESIGNED – PEACE OF MIND.*



For More Info

Click Here --->



**HSM®**

# Style. Tranquility. Efficiency.

SECURIO – a totally new look for today's shredders.

Document shredders have become an integral part of modern offices. Therefore, it is only appropriate that SECURIO shredders are totally state-of-the-art in terms of their design, economic energy management, absolute ease of operation use and low-noise in operation. These combined features produced a document shredder for the future office today.

SECURIO – our credo for ease of use:

- > Simply select the different functions with a single control key: start, stop, temporary and permanent mode.
- > In the event of a paper jam, the reverse function starts automatically. Alternatively, you can press the "R" button if you wish to operate the reversing function yourself.
- > A transparent front window allows quick and easy site of container capacity and level.
- > A large waste container extends the interval between emptying to save time and money.
- > Separate waste bags for paper and CDs allow waste separation (SECURIO B32 model or higher).



EMCS (energy management and control system) – dealing with energy in a sensible manner.

- > Automatic shut-down function: The SECURIO automatically switches to energy-saving mode 2 minutes after use, i.e. all unnecessary electrical consumers are switched off or their consumption is reduced. If you now feed the shredder with paper, it will automatically switch on again.
- > Automatic switch-off: The SECURIO switches off completely if it is not used for 4 hours. As a result, no valuable energy is wasted at night or at the weekend. The SECURIO is immediately operational again at a press of the elegant control key.
- > Temporary mode: To shred small pieces of paper, credit cards or foils, press the control key for only 2 seconds – the SECURIO runs for 10 seconds and then automatically switches off again.
- > Permanent mode: For large quantities of paper and documents, the control key is pressed for 4 seconds and the SECURIO is activated for continuous operation. The machine automatically returns to the stand-by mode when the operation is completed.

Quiet operating sound.

Great emphasis was placed on attractive sound design during the development phase. The SECURIO shreds your documents with a pleasantly quiet operating sound.

For More Info

Click Here --->



# SECURIO® B24



## For installation directly by the desk.

- > For shredding not only paper and documents but also credit and store cards (security level 2 and 3) as well as CDs (security level 2)
- > Intake width: 240 mm
- > Choose from security level 2 strip cut or security level 3 or 4 particle cut machines
- > Removable container: 34 l
- > Height: 605 mm



At security level 2, the SECURIO B24 can also shred CDs with ease.



Folding safety element provides optimum protection for the operator.



Container handle of elegant design.



Tilting container for easy removal of the shredded material.

### SECURIO B24

	Strips	Particles
Cutting size in mm	3.9 / 5.8	1.9 15 / 4.5 30
Security level DIN 32757-1	2 / 2	4 / 3
Cutting capacity* 70 g/m <sup>2</sup> in sheets	22-24 / 28-30	11-13 / 17-19
Cutting capacity* 80 g/m <sup>2</sup> in sheets	19-21 / 25-27	9-11 / 14-16
Cutting speed in mm/s	65	65
Intake width in mm	240	240
Motor	500 W	500 W
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz
Dimensions W D H in mm	395 317 605	395 317 605
Weight in kg	18	20.5
Container/collection volume in l	34	34

\* max. per cycle DIN A4, 70 g/m<sup>2</sup> or DIN A4, 80 g/m<sup>2</sup>.

All technical specifications are approximate values. Technical and design modifications reserved.

For More Info

Click Here --->



# SECURIO® B32



**Suitable for central use by several people within a department or small office.**

- > For shredding not only paper and documents but also credit and store cards (security level 2 and 3) as well as CDs (security level 2)
- > Intake width: 310 mm (DIN A 3)
- > Choose from security level 2 strip cut or security level 3 or 4 particle cut machines
- > Container/collection volume: 82 l
- > Height: 793 mm



Special slot specifically for shredding electronic media.



The safety cover can be simply folded up in order to shred large amounts of paper.



The waste bag can be taken out easily through the large door.



The SECURIO is an elegant object due to its dynamic design.

## SECURIO B32

	Strips	Particles
Cutting size in mm	3.9 / 5.8	1.9 15 / 4.5 30
Security level DIN 32757-1	2 / 2	4 / 3
Cutting capacity* 70 g/m <sup>2</sup> in sheets	22-24 / 28-30	11-13 / 17-19
Cutting capacity* 80 g/m <sup>2</sup> in sheets	19-21 / 25-27	9-11 / 14-16
Cutting speed in mm/s	65	65
Intake width in mm	310	310
Motor	500 W	500 W
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz
Dimensions W D H in mm	497 398 793	497 398 793
Weight in kg	25.5	27
Container/collection volume in l	82	82

\* max. per cycle DIN A4, 70 g/m<sup>2</sup> or DIN A4, 80 g/m<sup>2</sup>.  
All technical specifications are approximate values. Technical and design modifications reserved.

For More Info

Click Here --->



# SECURIO® B34



## Central positioning in busy offices. Large volume, high performance.

- > For shredding not only paper and documents but also credit and store cards as well as CDs (security level 2 and 3)
- > Intake width: 310 mm (DIN A3)
- > Choose from security level 2 strip cut or security level 3 or 4 particle cut machines
- > Container/collection volume: 100 l
- > Height: 845 mm



At security level 2, the SECURIO B34 can shred CDs with ease.



Folding safety cover provides optimum protection for the operator.



Waste bag easy to remove through the large door.



Due to its large collection volume, the SECURIO B34 is suited for use by several persons.

### SECURIO B34

	Strips	Particles
Cutting size in mm	3.9 / 5.8	1.9 15 / 4.5 30
Security level DIN 32757-1	2 / 2	4 / 3
Cutting capacity* 70 g/m <sup>2</sup> in sheets	25-27 / 30-32	13-15 / 20-22
Cutting capacity* 80 g/m <sup>2</sup> in sheets	22-24 / 26-28	11-13 / 17-19
Cutting speed in mm/s	90	90
Intake width in mm	310	310
Motor	650 W	650 W
Voltage / Frequency	230 V / 50 Hz	230 V / 50 Hz
Dimensions W D H in mm	543 440 845	543 440 845
Weight in kg	33	35
Container/collection volume in l	100	100

\* max. per cycle DIN A4, 70 g/m<sup>2</sup> or DIN A4, 80 g/m<sup>2</sup>.

All technical specifications are approximate values. Technical and design modifications reserved.

For More Info


Click Here --->



# New perspectives with established values.

Quality "Made in Germany" by HSM.

SECURIO is the next generation of the shredding machine. Up to date. Designed to meet your requirements. And based on the entire technical experience of a renowned manufacturer. The decisive factors for HSM products: quality, performance and durability – are also embodied in the SECURIO.




## The guarantees.

- > Money-back guarantee or upgrade to a larger device within 14 days.
- > Replacement / repair guarantee: We immediately replace defective machines with new machines during the warranty period (2 years). They are then repaired by authorised specialist dealers or HSM's customer service, which may offer new machines at favourable conditions.
- > Plus guarantee: A 10-year guarantee on the 100 % steel cutting rollers (normal wear and inappropriate use excluded).

## The cutting rollers.

The specially hardened 100 % steel cutting rollers are manufactured from a single piece of steel, will not be affected by wear and tear and ensure a permanently precise cut. In addition, staples and paper clips present no problems for SECURIO.



V-TEK by HSM  
The V-TEK groove of the cutting rollers is a ground-breaking development of HSM in terms of shredding equipment. The extremely efficient and high-precision cutting mechanism of the V-TEK groove ensures a considerably higher cutting capacity at an equivalent energy consumption.

## The drive.

The optimum design of all cutting unit components ensures smooth operation, saves valuable energy and reduces wear. All motors are designed for continuous operation.

For More Info

Click Here --->



Security level 2 – Strips  
For internal documents that need to be rendered illegible such as computer lists or bad photocopies.  
Cutting size: 5.8 mm.



Security level 2 – Strips  
For internal documents that need to be rendered illegible such as computer lists or bad photocopies.  
Cutting size: 3.9 mm.



Security level 3 – Particles  
For confidential documents such as personal data.  
Cutting size: 4.5 x 30 mm.



Security level 4 – Particles  
When the confidentiality of documents is important for a company's existence.  
Cutting size: 1.9 x 15 mm.

Deutschland / Germany:

HSM GmbH + Co. KG  
Bahnhofstrasse 115  
88682 Salem

Vertrieb / Sales:  
Werk Frickingen  
Austrasse 1  
88699 Frickingen

Tel. +49 (0) 75 53 / 822-0  
Fax +49 (0) 75 53 / 822-160  
info@hsm-online.de  
www.hsm-online.de

International:

HSM GmbH + Co. KG  
Adresse postale:  
1 rue de la Haye  
Le Dôme - BP 12910  
95731 ROISSY CDG CEDEX  
Adresse salle d'exposition:  
Paris Nord II  
33 rue des Chardonnerets  
95971 ROISSY  
Tel. N°Azur 0810.12.26.33  
PRIX APPEL LOCAL  
Fax N°Indigo 0820.20.84.80  
0,118 EURO TTC / MN  
HSM.France@hsm-online.de

HSM GmbH + Co. KG  
Oficina Barcelona  
C/Tona  
Nave n° 15 „El Lago“  
Pol. Ind. Monguit  
08480 L'Ametlla del Vallès  
BARCELONA  
Tel. +34 93.861.71.68/69  
Fax +34 93.846.34.17  
HSM.Spain@hsm-online.de

HSM Verkoop Nederland  
Tel. 0800 0203740  
Fax 0800 0203739  
HSM.Benelux@hsm-online.de

HSM Verkoop België + Luxemburg  
Tel. +49 (0) 75 53 / 822-354/271  
Fax +49 (0) 75 53 / 822-260  
HSM.Benelux@hsm-online.de

HSM Vertrieb Österreich  
Tel. +49 (0) 75 53 / 822-222  
Fax +49 (0) 75 53 / 822-272  
HSM.Austria@hsm-online.de

HSM of America LLC  
1075 Andrew Drive, Suite C  
West Chester  
PA 19380  
Tel. (610) 918-4894  
(800) 613-2110  
Fax (610) 918-4899  
customerservice@hsmofamerica.com  
info@hsmofamerica.com  
www.hsmofamerica.com

HSM (UK) Ltd.  
14 Attwood Road / Zone 1  
Burntwood Business Park  
Burntwood  
Staffordshire  
WS7 3GJ  
Tel. +44 (0) 1543.272.480  
Fax +44 (0) 1543.272.080  
info@hsmuk.co.uk  
www.hsmuk.co.uk

www.securio.com

For More Info

Click Here ---->



**HSM**®